


Magellan™ 34XXVSi On-Counter Imagers

September 2021



Copyright Datalogic 2021 – Confidential Proprietary Information

Magellan 3410VSi and 3450VSi



Versatile High Performance Imaging On-Counter Readers

Targeted Users and Environments

- Ideally suited for:
 - Small counter POS
 - 3 to 14 item count transactions
 - Presentation or sweep scanning
 - Identity or age verification applications
 - Service points using 1D, 2D or Digimarc® bar codes
- Retail Med-High Volume, Small Space:
 - Pharmacy/Drug Stores
 - DIY Stores and other specialty
 - Convenience Stores
 - Courtesy/Service Counters
 - Grocery and General Merchandise Stores



Magellan Single Plane Positioning



Magellan On-Counter Single Plane Imagers - Easy, Reliable Performance



Key Benefits

- Class leading 1D, 2D, and Cell phone reading performance
- More user friendly illumination with newly developed object sense mode
- Another Datalogic First – the first Vertical Single Plane products to support Digimarc decoding
- Large scan volume and DoF comparable to laser technology
- Flexible USB Auxiliary port



Magellan 3410VSi vs 3450VSi

What's the Same?

- Enclosure size/shape
- Illumination
- Accessories:
 - Mounts
 - Cables
 - Power Supplies

What's Different?

3410VSi-Entry Level


- Reduced power processor
- Excellent throughput
- Powers from single USB 5V Connection
- Limited Digimarc decoding

3450VSi- High Performance

- High performance processor
- Highest throughput in class
- Highest performance on Digimarc

Product Comparison

Product	Digital Imaging 1D/2D	Digimarc Ready	Object Sense Illumination Control	Illumination LED Color	EAS Support	Aux Port	Powers from 5V USB Connection	Magellan CSS Compatible	Sound Output	Enhanced Neon Processor
Magellan 3200VSi	Yes – 2D optional	No	No	Red	Yes	RS-232 – RJ9	No	No	Beeper	No
Magellan 3410VSi	Yes – 2D Included	Yes*	Yes	Blended Red	Yes	USB – Type A	Yes	Yes	Beeper	No
Magellan 3450VSi	Yes – 2D Included	Yes	Yes	Blended Red & Dark Red	Yes	USB – Type A	No	Yes	Speaker with .wav files	Yes



Mag 3200VSi

Mag 3410/3450VSi

* Limited Performance

Leading Performance on Difficult Codes



- Superior reading of hard-to-read 1D and 2D labels
 - Truncated
 - GS1 DataBar™
 - In-store printed bar codes
 - Distorted, torn, scratched labels
 - Low contrast
- Reads bar codes from a variety of sources
 - Paper
 - Driver licenses
 - Cell phone/PDA
 - Tablets




More Intelligent Illumination...

- More comfortable lighting
 - Direct and reflected
 - Seated or standing
- Improved ambient light immunity from all sources
- Large good-read indicator
 - Easily viewable by the user and security cameras
- 100% LED design is safer and more reliable than laser diode based illumination
- Red colored LED's provide the best performance on the broadest set of codes
- Auto adjusts for cell phones and image capture



Image Capture



- Image capture to MicroSD card
- Image capture to POS Host Terminal
- Adjustable resolutions
- Configurable file types:
 - .jpg
 - .bmp
- Trigger images via Camera button or host command

Customizable Sounds



- Only a limited number of hardware-generated sounds are available on most products
- The Magellan 3450VSi uses .wav files to generate an unlimited range of sounds so retailers can deliver status and prompts **quickly** and **clearly** to the associate
- Sounds are customizable similar to ringtones on mobile phones

Electronic Article Surveillance




- Designed to accommodate the after-market installation of EAS systems from multiple suppliers
- Integrates easily with Checkpoint®, Nedap®, and Sensormatic® to assure read before deactivation control
- Seamless scanning and deactivation in one zone

Checkpoint

Sensormatic®

 nedap

Managing Software and Data




- Application and Configuration Customization Tools
 - Scanalyzer™ On-Screen Programming PC tool via top-accessible USB
 - Load software from Micro-SD card
 - Traditional programming bar codes
 - Host download utilizing OPOS and JPOS
- Software upgrades via Micro-SD card
 - Add features and/or change configuration options
- Write diagnostic information to SD card

Value Added Features


Productivity Enhancement Software

- **Magellan ULE Advanced Data Editing**
 - Extends POS product life and improves operations
- **Diagnostics Reporting**
 - Lowers labor costs to service and manage assets
- **Remote Management**
 - Lowers service costs and improves operations
- **Valuable tools for improving operational efficiency and customer satisfaction**
- **Compatible with IBM Director / RMA using WMI**



Standard Table/Wall Mount

Makes it easy to attached the Magellan 3410VSi or 3450VSi to a counter or wall...



Part Number: 90ACC0299

Tilting Riser Stand

Elevates the Magellan 3410VSi or 3450VSi 50 mm and provides 25° of tilt...



Part Number: 90ACC0323

Mobile Coupons and Loyalty Cards ...made easy



Magellan CSS Option

- Flexibly mounted Customer Service Scanner (CSS) provides a clearly targeted scan zone for customer use
- Cashier or customer initiated option as best fits your checkout process
- Easy reading of mobile coupons, loyalty cards, gift cards, etc.
- Can be used concurrently with scanner to maximize throughput
- Improves the shopping experience for the customer
- Bar code symbologies read by the Customer Service Scanner can be configured independently from the base scanner
- Adding a hand held scanner or Customer Service scanner requires an external power supply or 12V Host POS connection

Why Imaging is Better than Lasers



The Advantages of Imaging:

- Can read bar codes in any orientation
- Can read 2D bar codes
- Read bar codes from smartphones (e-coupons, loyalty cards)
- Capable of very high-speed reading
- Completely solid-state – no moving parts = more reliable
- Can be also used to capture images for item recognition
- Enables Digital Watermark reading like Digimarc Barcode/GS1 DW Code



Product Feature Summary

Feature	Magellan 3410VSi	Magellan 3450VSi
Large, intuitive Field of View		
Built reliable for trouble-free use		
More Intelligent Illumination		
Seamless 1D/2D Reading		
Seamless Cell Phone Reading		
Customer Service Scanner		
Built-in EAS support		
Class leading 1D/2D Performance		
Digimarc Decoding	Limited Performance	
Powers from USB 5V		


Product Configuration Information


- Standard 1D/2D Decoding or 1D/2D with Digimarc Barcode
- With or Without Table/Wall Mount or Tilting Riser Stand
- With or without Magellan Customer Service Scanner (CSS)
- Global Power Supply Options
- Multiple retail POS interfaces standard in every unit:
 - USB Keyboard
 - USB COM
 - OEM USB
 - RS-232
 - RS-232 Diebold-Nixdorf Beetle



DIGIMARC | 
READY

EASEOFCARE Support Programs





This presentation contains statements that are neither reported financial results nor other historical information. These statements are forward-looking statements. These forward-looking statements rely on a number of assumptions and are subject to a number of risks and uncertainties, many of which are outside the control of Datalogic S.p.A., that could cause actual results to differ materially from those expressed in or implied by such statements, such as future market conditions, currency fluctuations, the behavior of other market participants and the actions of governmental and state regulators

© 2021 Datalogic S.p.A. and/or its affiliates - All rights reserved. • Without limiting the rights under copyright, no part of this documentation may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means, or for any purpose, without the express written permission of Datalogic S.p.A. and/or its affiliates • Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. in many countries, including the U.S. and the E.U. • All other trademarks and brands are property of their respective owners.

Datalogic S.p.A.

Via Candini, 2 - 40012 Lippo di Calderara di Reno - Bologna (Italy)

Tel. +39 051 3147011 | Fax +39 051 3147205

corporate@datalogic.com

ww.datalogic.com

SP-MAGELLAN 3410HSi_3450VSi-EN Rev D 20210920

