

XL-3602



2D Image Handheld Scanner



- ⊙ 300000 pixels high resolution
- ⊙ 1.5 meters drop height, strong and durable
- ⊙ Excellence reading performance on difficult codes
- ⊙ Plug and play, fully compatible with all kinds of system
- ⊙ Independent research and development of core technology
- ⊙ Applied to stores, restaurants, office automation and other fields



Image Sensor	CMOS	Dimension	L × W × H:175×71×86(mm)
Image size	640x480 pixels	Weight	246g
Light Source	White illuminating light/red aiming light	Material	ABS+PC
Precision	≥4mil	Voltage	DC 5V
Depth of Scan Field	50~230mm(0.1mm pcs0.9,Code39)	Current (Working)	150mA
Scensitivity	Roll:360° Skew:±50°, Pitch:± 50°	Operate Temperature	-20°C to 50°C
Support Interface	USB,USB-VCP	Storage Temperature	-20°C to 60°C
Print Contrast Signal	25%	Humidity	5% to 95%
Indicator	Buzzer, LED	Illumination	0 to 100000LUX
Scan Mode	Manual & Continous & Automatic	Certification	EC (EMC) Class B,Rohs
Decoding Capability	1D: UPC-A, UPC-E, EAN-8, EAN-13, Code 128, Code 39, Code 93, Interleaved 2 of 5, Matrix 2 of 5, Industrial 2 of 5, Standard 2 of 5(IATA25), Codabar(NW-7), etc. 2D: QR Code, Micro QR Code, Data Matrix, PDF417, etc.		



SUNLUX IOT Technology (Guangdong) Inc.

Office Add: 4F,No.7 ,Kehui First Street ,Science Road,Science City,Guangzhou,China
Tel: +86-20-32053765 Fax: +86-20-82115390 Site: www.xl-scan.com E-mail: sales@xl-scan.com